


BLEND TRIMLESS RECESSED LED SPOT SINGLE



DIMENSIONS




EAN	9506942754519
SKU	BL.27120381.0002
Energy rating	-
Collection	BLEND
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	800 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	38 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	115 x 115 x 65 mm
Product dimensions	106 x 106 x 52 mm
Package weight	580 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BLEND TRIMLESS RECESSED LED SPOT SINGLE



DIMENSIONS




EAN	9504723853239
SKU	BL.1120381.0012
Energy rating	-
Collection	BLEND
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	800 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	38 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	115 x 115 x 65 mm
Product dimensions	106 x 106 x 52 mm
Package weight	580 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BLEND TRIMLESS RECESSED LED SPOT SINGLE



DIMENSIONS




EAN	9504523442169
SKU	BL.27120381.0003
Energy rating	-
Collection	BLEND
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	800 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	38 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	115 x 115 x 65 mm
Product dimensions	106 x 106 x 52 mm
Package weight	580 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BLEND TRIMLESS RECESSED LED SPOT SINGLE



DIMENSIONS



EAN	9506543377193
SKU	BL.1120381.0010
Energy rating	-
Collection	BLEND
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	800 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	38 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	115 x 115 x 65 mm
Product dimensions	106 x 106 x 52 mm
Package weight	580 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

