


BOXX WALL LAMP




DIMENSIONS




EAN	6150713856891
SKU	BX.2715411.0010
Energy rating	-
Collection	BOXX
Colour	Black
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP




DIMENSIONS




EAN	9508522667684
SKU	BX.3015411.0009
Energy rating	-
Collection	BOXX
Colour	Black
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP




DIMENSIONS




EAN	9506254696743
SKU	BX.115411.0011
Energy rating	-
Collection	BOXX
Colour	Black
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	6150713861857
SKU	BX.2715411.0016
Energy rating	-
Collection	BOXX
Colour	Bronze
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	9509892647528
SKU	BX.3015411.0015
Energy rating	-
Collection	BOXX
Colour	Bronze
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	9504929332293
SKU	BX.115411.0017
Energy rating	-
Collection	BOXX
Colour	Bronze
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	6150713863837
SKU	BX.2715411.0019
Energy rating	-
Collection	BOXX
Colour	Champagne
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	9502184939943
SKU	BX.3015411.0018
Energy rating	-
Collection	BOXX
Colour	Champagne
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	9503324919153
SKU	BX.115411.0020
Energy rating	-
Collection	BOXX
Colour	Champagne
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS




EAN	6150713860874
SKU	BX.2715411.0013
Energy rating	-
Collection	BOXX
Colour	White
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP




DIMENSIONS




EAN	9509739843557
SKU	BX.3015411.0012
Energy rating	-
Collection	BOXX
Colour	White
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



BOXX WALL LAMP



DIMENSIONS



EAN	9503534479478
SKU	BX.115411.0014
Energy rating	-
Collection	BOXX
Colour	White
IP rating	IP54
Light source	LED
Power	6 W
Lumen	540 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	90 Lm/W
Lifetime	>50.000h
Beam angle	5 D to 120 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	110 x 105 x 105 mm
Product dimensions	100 x 100 x 100 mm
Package weight	530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

