


CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9506342241862
SKU	CS.27120341.0151
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9505491221589
SKU	CS.27220341.0153
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9504881728615
SKU	CS.27520341.0155
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9509239957686
SKU	CS.30120341.0150
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS





Lightinova
CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015


EAN	9508249937411
SKU	CS.30220341.0152
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9507843543417
SKU	CS.30520341.0154
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS





Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015


EAN	9503266188242
SKU	CS.27120341.0157
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

G

12
kWh/1000h



2019/2015


EAN	9505991447595
SKU	CS.27220341.0159
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS





Lightinova
CLIXX SLIM DOT12 2700K

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015


EAN	9501981173116
SKU	CS.27520341.0161
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS



**ENERGY**

Lightinova

CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

G

12

kWh/1000h



2019/2015


EAN	9504183863786
SKU	CS.30120341.0156
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS





Lightinova
CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015


EAN	9509293545225
SKU	CS.30220341.0158
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM DOT12



DIMENSIONS





Lightinova
CLIXX SLIM DOT12 3000K

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015

EAN	9509538975732
SKU	CS.30520341.0160
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	12 W
Lumen	1015 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	84.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	245 x 83 x 50 mm
Product dimensions	22.5 x 200 x 40 mm
Package weight	270 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years

