



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	6150714127143
SKU	CS.27120341.0343
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	6150714133182
SKU	CS.27220341.0345
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	6150714135148
SKU	CS.27520341.0347
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	9505344711960
SKU	CS.30120341.0342
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	9506548272998
SKU	CS.30220341.0344
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS




EAN	9504548536881
SKU	CS.30520341.0346
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS



 **ENERG**

Lightinova
CLIXX SLIM FOLD12 2700K

A
B
C
D
E
F
G

16
kWh/1000h

 2019/2015


EAN	6150714115102
SKU	CS.27120341.0337
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS



 **ENERG**

Lightinova
CLIXX SLIM FOLD12 2700K

A
B
C
D
E
F
G


16
kWh/1000h

 2019/2015


EAN	6150714116192
SKU	CS.27220341.0339
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS



 **ENERG**

Lightinova
CLIXX SLIM FOLD12 2700K

A
B
C
D
E
F
G

16
kWh/1000h

 2019/2015



EAN	6150714120168
SKU	CS.27520341.0341
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	9507714226937
SKU	CS.30120341.0336
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS





EAN	9505911762692
SKU	CS.30220341.0338
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM FOLD12 DOTS



DIMENSIONS



EAN	9504164596764
SKU	CS.30520341.0340
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	16 W
Lumen	1145 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	71.6 Lm/W
Lifetime	>50.000h
Beam angle	34 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	240 x 165 x 55 mm
Product dimensions	22.5 x 196 x 120 mm
Package weight	590 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years

