



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150714013064
SKU	CS.27120301.0287
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150714016010
SKU	CS.27220301.0289
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150714020079
SKU	CS.27520301.0291
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	9505513428651
SKU	CS.30120301.0286
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	9506818499889
SKU	CS.30220301.0288
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	9503345215142
SKU	CS.30520301.0290
Energy rating	G
Collection	CLIXX SLIM
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150713974908
SKU	CS.27120301.0281
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150713986949
SKU	CS.27220301.0283
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	6150713991936
SKU	CS.27520301.0285
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	9507162263430
SKU	CS.30120301.0280
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Triac
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS





EAN	9509247912844
SKU	CS.30220301.0282
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Dali
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years



CLIXX SLIM SPOT65



DIMENSIONS



EAN	9505784561347
SKU	CS.30520301.0284
Energy rating	G
Collection	CLIXX SLIM
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	255 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	31.9 Lm/W
Lifetime	>50.000h
Beam angle	30 D
Driver	-
Voltage	24 V
Input voltage	110-240 V
Dim	Zigbee
Package dimensions	195 x 170 x 100 mm
Product dimensions	22.5 x 124 x 124 mm
Package weight	470 g
HS code	94054990
ETL code	5028942
Material	Aluminium
Warranty	2 years

