




CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006754747
SKU	CTD.27120361.0149
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006755782
SKU	CTD.27154361.0150
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006757724
SKU	CTD.27220361.0151
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006760779
SKU	CTD.27254361.0152
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006735760
SKU	CTD.30120361.0145
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006737771
SKU	CTD.30154361.0146
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006738730
SKU	CTD.30220361.0147
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006745776
SKU	CTD.30254361.0148
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006763770
SKU	CTD.1120361.0153
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED



DIMENSIONS



EAN 6152006777753

SKU CTD.1154361.0154

Energy rating -

Collection CONE TRIMLESS DOUBLE

Colour Black

IP rating IP54

Light source LED

Power 8 W

Lumen 520 Lm

Colour temperature DIM TO WARM

Colour Rendering Index CRI>90

Efficacy 65 Lm/W

Lifetime >50.000h

Beam angle 36 D

Driver Yes

Voltage 24 V

Input voltage 220-240 V

Dim Triac

Package dimensions 100 x 100 x 70 mm

Product dimensions -

Package weight 150 g

HS code 94054990


ETL code -

Material Aluminium


Warranty 2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006787714
SKU	CTD.1220361.0155
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006787783
SKU	CTD.1254361.0156
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007539589
SKU	CTD.27120361.0053
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007539596
SKU	CTD.27154361.0054
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007540554
SKU	CTD.27220361.0055
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007546549
SKU	CTD.27254361.0056
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007526534
SKU	CTD.30120361.0049
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007529504
SKU	CTD.30154361.0050
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007529542
SKU	CTD.30220361.0051
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007536519
SKU	CTD.30254361.0052
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007546556
SKU	CTD.1120361.0057
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007548512
SKU	CTD.1154361.0058
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007550522
SKU	CTD.1220361.0059
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007550553
SKU	CTD.1254361.0060
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006365332
SKU	CTD.27120361.0197
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006369316
SKU	CTD.27154361.0198
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006370336
SKU	CTD.27220361.0199
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006375317
SKU	CTD.27254361.0200
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006346317
SKU	CTD.30120361.0193
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006354305
SKU	CTD.30154361.0194
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006355340
SKU	CTD.30220361.0195
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006361303
SKU	CTD.30254361.0196
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006375362
SKU	CTD.1120361.0201
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED



DIMENSIONS




EAN	6152006379322
SKU	CTD.1154361.0202
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006379346
SKU	CTD.1220361.0203
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006380328
SKU	CTD.1254361.0204
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Bronze
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006036089
SKU	CTD.27120361.0245
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006042042
SKU	CTD.27154361.0246
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006046064
SKU	CTD.27220361.0247
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006050047
SKU	CTD.27254361.0248
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006019068
SKU	CTD.30120361.0241
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006026073
SKU	CTD.30154361.0242
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006030070
SKU	CTD.30220361.0243
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006034085
SKU	CTD.30254361.0244
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006054090
SKU	CTD.1120361.0249
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006055028
SKU	CTD.1154361.0250
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152006057084
SKU	CTD.1220361.0251
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152006058036
SKU	CTD.1254361.0252
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Champagne
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007870842
SKU	CTD.27120361.0005
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007875854
SKU	CTD.27154361.0006
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007877834
SKU	CTD.27220361.0007
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007883866
SKU	CTD.27254361.0008
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007844850
SKU	CTD.30120361.0001
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007846847
SKU	CTD.30154361.0002
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007849886
SKU	CTD.30220361.0003
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007859892
SKU	CTD.30254361.0004
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007895845
SKU	CTD.1120361.0009
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007897863
SKU	CTD.1154361.0010
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007912924
SKU	CTD.1220361.0011
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007930980
SKU	CTD.1254361.0012
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	Gold
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007143144
SKU	CTD.27120361.0101
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007150180
SKU	CTD.27154361.0102
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007158131
SKU	CTD.27220361.0103
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007167119
SKU	CTD.27254361.0104
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007128103
SKU	CTD.30120361.0097
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007128141
SKU	CTD.30154361.0098
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS





EAN	6152007131165
SKU	CTD.30220361.0099
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007142130
SKU	CTD.30254361.0100
Energy rating	G
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007168116
SKU	CTD.1120361.0105
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007171109
SKU	CTD.1154361.0106
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED




DIMENSIONS




EAN	6152007171123
SKU	CTD.1220361.0107
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP20
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIMLESS DOUBLE SMALL - FIXED



DIMENSIONS



EAN	6152007174131
SKU	CTD.1254361.0108
Energy rating	-
Collection	CONE TRIMLESS DOUBLE
Colour	White
IP rating	IP54
Light source	LED
Power	8 W
Lumen	520 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	65 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	100 x 100 x 70 mm
Product dimensions	-
Package weight	150 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

