




CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508545462846
SKU	CT.27120361.0125
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507947617212
SKU	CT.27154361.0126
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507886925928
SKU	CT.27220361.0127
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505832257680
SKU	CT.27254361.0128
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508155877795
SKU	CT.30120361.0121
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508116574817
SKU	CT.30154361.0122
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507647679343
SKU	CT.30220361.0123
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9509677857890
SKU	CT.30254361.0124
Energy rating	G
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9504421474194
SKU	CT.1120361.0129
Energy rating	-
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9506675752387
SKU	CT.1154361.0130
Energy rating	-
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9501324193573
SKU	CT.1220361.0131
Energy rating	-
Collection	CONE TRIM
Colour	Black
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9502143669256
SKU	CT.1254361.0132
Energy rating	-
Collection	CONE TRIM
Colour	Black
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED




DIMENSIONS





EAN	6150712530518
SKU	CT.27120361.0413
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712530532
SKU	CT.27154361.0414
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712534509
SKU	CT.27220361.0415
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712537555
SKU	CT.27254361.0416
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712496401
SKU	CT.30120361.0409
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712522575
SKU	CT.30154361.0410
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712528546
SKU	CT.30220361.0411
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	6150712530501
SKU	CT.30254361.0412
Energy rating	G
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	6150712538590
SKU	CT.1120361.0417
Energy rating	-
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	6150712540562
SKU	CT.1154361.0418
Energy rating	-
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	6150712564575
SKU	CT.1220361.0419
Energy rating	-
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	6150712568542
SKU	CT.1254361.0420
Energy rating	-
Collection	CONE TRIM
Colour	Black chrome
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505542588913
SKU	CT.27120361.0197
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9502612819311
SKU	CT.27154361.0198
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9502721145295
SKU	CT.27220361.0199
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9502359329753
SKU	CT.27254361.0200
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507564541112
SKU	CT.30120361.0193
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9506383921846
SKU	CT.30154361.0194
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507692648929
SKU	CT.30220361.0195
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9509873255582
SKU	CT.30254361.0196
Energy rating	G
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9509581412987
SKU	CT.1120361.0201
Energy rating	-
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9502291971959
SKU	CT.1154361.0202
Energy rating	-
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9509475354584
SKU	CT.1220361.0203
Energy rating	-
Collection	CONE TRIM
Colour	Bronze
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508338997395
SKU	CT.1254361.0204
Energy rating	-
Collection	CONE TRIM
Colour	Bronze
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505226262153
SKU	CT.27120361.0269
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505123896581
SKU	CT.27154361.0270
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508735418554
SKU	CT.27220361.0271
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9501361382114
SKU	CT.27254361.0272
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9501575626271
SKU	CT.30120361.0265
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508433389354
SKU	CT.30154361.0266
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9507655116427
SKU	CT.30220361.0267
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9502621231425
SKU	CT.30254361.0268
Energy rating	G
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9502956743587
SKU	CT.1120361.0273
Energy rating	-
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9504723798936
SKU	CT.1154361.0274
Energy rating	-
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9504659551476
SKU	CT.1220361.0275
Energy rating	-
Collection	CONE TRIM
Colour	Champagne
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9506228462145
SKU	CT.1254361.0276
Energy rating	-
Collection	CONE TRIM
Colour	Champagne
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS



 **ENERGY**

Lightinova
CONE L 2700K

A
B
C
D
E
F
G

15
kWh/1000h

 2019/2015



EAN	9504921579948
SKU	CT.27120361.0341
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9509417185849
SKU	CT.27154361.0342
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508446722391
SKU	CT.27220361.0343
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9506211463920
SKU	CT.27254361.0344
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9501612767851
SKU	CT.30120361.0337
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9506681261132
SKU	CT.30154361.0338
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505392618150
SKU	CT.30220361.0339
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9501242169520
SKU	CT.30254361.0340
Energy rating	G
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9505259562879
SKU	CT.1120361.0345
Energy rating	-
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9501276789992
SKU	CT.1154361.0346
Energy rating	-
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9508165763989
SKU	CT.1220361.0347
Energy rating	-
Collection	CONE TRIM
Colour	Gold
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9502273775377
SKU	CT.1254361.0348
Energy rating	-
Collection	CONE TRIM
Colour	Gold
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9501468788147
SKU	CT.27120361.0053
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9505983961610
SKU	CT.27154361.0054
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9504173353792
SKU	CT.27220361.0055
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9504755188279
SKU	CT.27254361.0056
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9506125271246
SKU	CT.30120361.0049
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9508765782250
SKU	CT.30154361.0050
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS





EAN	9503379734961
SKU	CT.30220361.0051
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9505894578334
SKU	CT.30254361.0052
Energy rating	G
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9502171717691
SKU	CT.1120361.0057
Energy rating	-
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9504179474637
SKU	CT.1154361.0058
Energy rating	-
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS




EAN	9504968249972
SKU	CT.1220361.0059
Energy rating	-
Collection	CONE TRIM
Colour	White
IP rating	IP20
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



CONE TRIM LARGE - FIXED



DIMENSIONS



EAN	9507868662315
SKU	CT.1254361.0060
Energy rating	-
Collection	CONE TRIM
Colour	White
IP rating	IP54
Light source	LED
Power	15 W
Lumen	837 Lm
Colour temperature	DIM TO WARM
Colour Rendering Index	CRI>90
Efficacy	55.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	195 x 90 x 70 mm
Product dimensions	-
Package weight	290 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

