

EDGE UP-DOWN WALL LAMP



EAN	6150720710742
SKU	ED.3012021.0017
Energy rating	-
Collection	EDGE
Colour	Black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720711718
SKU	ED.3022021.0018
Energy rating	-
Collection	EDGE
Colour	Black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720713736
SKU	ED.2712021.0019
Energy rating	-
Collection	EDGE
Colour	Black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720731754
SKU	ED.2722021.0020
Energy rating	-
Collection	EDGE
Colour	Black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720549519
SKU	ED.3012021.0001
Energy rating	-
Collection	EDGE
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720551574
SKU	ED.3022021.0002
Energy rating	-
Collection	EDGE
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720552588
SKU	ED.2712021.0003
Energy rating	-
Collection	EDGE
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720553585
SKU	ED.2722021.0004
Energy rating	-
Collection	EDGE
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720560521
SKU	ED.3012021.0005
Energy rating	-
Collection	EDGE
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720562549
SKU	ED.3022021.0006
Energy rating	-
Collection	EDGE
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720567575
SKU	ED.2712021.0007
Energy rating	-
Collection	EDGE
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720583568
SKU	ED.2722021.0008
Energy rating	-
Collection	EDGE
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720625688
SKU	ED.3012021.0009
Energy rating	-
Collection	EDGE
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720627668
SKU	ED.3022021.0010
Energy rating	-
Collection	EDGE
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720635694
SKU	ED.2712021.0011
Energy rating	-
Collection	EDGE
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720659621
SKU	ED.2722021.0012
Energy rating	-
Collection	EDGE
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720693687
SKU	ED.3012021.0013
Energy rating	-
Collection	EDGE
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720695612
SKU	ED.3022021.0014
Energy rating	-
Collection	EDGE
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720696657
SKU	ED.2712021.0015
Energy rating	-
Collection	EDGE
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720698644
SKU	ED.2722021.0016
Energy rating	-
Collection	EDGE
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720737756
SKU	ED.3012021.0021
Energy rating	-
Collection	EDGE
Colour	White
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720738777
SKU	ED.3022021.0022
Energy rating	-
Collection	EDGE
Colour	White
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720739705
SKU	ED.2712021.0023
Energy rating	-
Collection	EDGE
Colour	White
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



EDGE UP-DOWN WALL LAMP



EAN	6150720743719
SKU	ED.2722021.0024
Energy rating	-
Collection	EDGE
Colour	White
IP rating	IP20
Light source	LED
Power	9W
Lumen	2 x 540 LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 190 x 105 mm
Product dimensions	150 x 150 x 75 mm
Package weight	1050 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

