


HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714391315
SKU	HAB.2712021.0061
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714392381
SKU	HAB.2722021.0062
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714399366
SKU	HAB.2752021.0063
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714424488
SKU	HAB.2742021.0064
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714374318
SKU	HAB.3012021.0057
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714374387
SKU	HAB.3022021.0058
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714383327
SKU	HAB.3052021.0059
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714390363
SKU	HAB.3042021.0060
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714451439
SKU	HAB.2712021.0093
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714458469
SKU	HAB.2722021.0094
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714459404
SKU	HAB.2752021.0095
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714464408
SKU	HAB.2742021.0096
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714425430
SKU	HAB.3012021.0089
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714436436
SKU	HAB.3022021.0090
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714442451
SKU	HAB.3052021.0091
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714444486
SKU	HAB.3042021.0092
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714493491
SKU	HAB.2712021.0125
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714516596
SKU	HAB.2722021.0126
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714519559
SKU	HAB.2752021.0127
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714520531
SKU	HAB.2742021.0128
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714472427
SKU	HAB.3012021.0121
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714478429
SKU	HAB.3022021.0122
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714490421
SKU	HAB.3052021.0123
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714492456
SKU	HAB.3042021.0124
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714351333
SKU	HAB.2712021.0029
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714353382
SKU	HAB.2722021.0030
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714368362
SKU	HAB.2752021.0031
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714370327
SKU	HAB.2742021.0032
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714318305
SKU	HAB.3012021.0025
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714334312
SKU	HAB.3022021.0026
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS




EAN	6150714337337
SKU	HAB.3052021.0027
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø1200



DIMENSIONS



EAN	6150714339355
SKU	HAB.3042021.0028
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	57 W
Lumen	5124 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

