


HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9509436389990
SKU	HAB.2712021.0037
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9506377519783
SKU	HAB.2722021.0038
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9508557272815
SKU	HAB.2752021.0039
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505234524946
SKU	HAB.2742021.0040
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9502137263187
SKU	HAB.3012021.0033
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505748188740
SKU	HAB.3022021.0034
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9501626638215
SKU	HAB.3052021.0035
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505297799855
SKU	HAB.3042021.0036
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9506384526965
SKU	HAB.2712021.0069
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9508912213644
SKU	HAB.2722021.0070
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505476411813
SKU	HAB.2752021.0071
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9502719867567
SKU	HAB.2742021.0072
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9503169325928
SKU	HAB.3012021.0065
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9503883176240
SKU	HAB.3022021.0066
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9509619612174
SKU	HAB.3052021.0067
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9504513476310
SKU	HAB.3042021.0068
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9507465982236
SKU	HAB.2712021.0101
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9502266574864
SKU	HAB.2722021.0102
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9501274254195
SKU	HAB.2752021.0103
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9507254151539
SKU	HAB.2742021.0104
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9504232397613
SKU	HAB.3012021.0097
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505948689399
SKU	HAB.3022021.0098
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9507995674465
SKU	HAB.3052021.0099
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9508219791562
SKU	HAB.3042021.0100
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2650 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9509473349919
SKU	HAB.2712021.0005
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9505955592194
SKU	HAB.2722021.0006
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9502377225372
SKU	HAB.2752021.0007
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9507643724726
SKU	HAB.2742021.0008
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9501221181796
SKU	HAB.3012021.0001
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9507565216224
SKU	HAB.3022021.0002
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS




EAN	9501924393540
SKU	HAB.3052021.0003
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø500



DIMENSIONS



EAN	9508226433592
SKU	HAB.3042021.0004
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2135 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	89 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	590 x 550 x 95 mm
Product dimensions	Ø500
Package weight	2640 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

