


HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9503366335492
SKU	HAB.2712021.0045
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9503142351579
SKU	HAB.2722021.0046
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9507231699610
SKU	HAB.2752021.0047
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9501343495825
SKU	HAB.2742021.0048
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9505483927710
SKU	HAB.3012021.0041
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9506392918660
SKU	HAB.3022021.0042
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9502631648459
SKU	HAB.3052021.0043
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9505212159719
SKU	HAB.3042021.0044
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3760 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9501791144412
SKU	HAB.2712021.0077
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9504766645273
SKU	HAB.2722021.0078
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9509486784264
SKU	HAB.2752021.0079
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9501272889177
SKU	HAB.2742021.0080
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9508148817586
SKU	HAB.3012021.0073
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9508449472620
SKU	HAB.3022021.0074
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9503514797349
SKU	HAB.3052021.0075
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9506521158653
SKU	HAB.3042021.0076
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9509249112280
SKU	HAB.2712021.0109
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9508815364412
SKU	HAB.2722021.0110
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9501162128621
SKU	HAB.2752021.0111
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9509996533178
SKU	HAB.2742021.0112
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9507639688261
SKU	HAB.3012021.0105
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9502378459493
SKU	HAB.3022021.0106
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9502913629381
SKU	HAB.3052021.0107
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	∅700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9506468255675
SKU	HAB.3042021.0108
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9502677928638
SKU	HAB.2712021.0013
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9504288847865
SKU	HAB.2722021.0014
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9502638741627
SKU	HAB.2752021.0015
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9503858377276
SKU	HAB.2742021.0016
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9503292154563
SKU	HAB.3012021.0009
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9507478592323
SKU	HAB.3022021.0010
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS




EAN	9509179911489
SKU	HAB.3052021.0011
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø700



DIMENSIONS



EAN	9509843247463
SKU	HAB.3042021.0012
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	33 W
Lumen	2989 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	90.6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	780 x 755 x 90 mm
Product dimensions	Ø700
Package weight	3830 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

