


HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9506631678584
SKU	HAB.2712021.0053
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9509988674889
SKU	HAB.2722021.0054
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9509184629164
SKU	HAB.2752021.0055
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9505213278549
SKU	HAB.2742021.0056
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9507351761556
SKU	HAB.3012021.0049
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9507477867132
SKU	HAB.3022021.0050
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9504143369327
SKU	HAB.3052021.0051
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9505463145257
SKU	HAB.3042021.0052
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9501965163140
SKU	HAB.2712021.0085
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9506298535879
SKU	HAB.2722021.0086
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9506388848254
SKU	HAB.2752021.0087
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9508239217417
SKU	HAB.2742021.0088
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9504763847458
SKU	HAB.3012021.0081
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9504289619973
SKU	HAB.3022021.0082
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9509811751367
SKU	HAB.3052021.0083
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9505991333249
SKU	HAB.3042021.0084
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4750 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9503253741399
SKU	HAB.2712021.0117
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9502745445753
SKU	HAB.2722021.0118
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9505289667926
SKU	HAB.2752021.0119
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9506265241628
SKU	HAB.2742021.0120
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9503223697183
SKU	HAB.3012021.0113
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9501945365267
SKU	HAB.3022021.0114
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9508245673719
SKU	HAB.3052021.0115
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	∅900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9509313232265
SKU	HAB.3042021.0116
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4870 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9508144121441
SKU	HAB.2712021.0021
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9503787681659
SKU	HAB.2722021.0022
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9505287388618
SKU	HAB.2752021.0023
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9508665282935
SKU	HAB.2742021.0024
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9506465216822
SKU	HAB.3012021.0017
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9509476789781
SKU	HAB.3022021.0018
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS




EAN	9508848316891
SKU	HAB.3052021.0019
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO BRUSH INWARD Ø900



DIMENSIONS



EAN	9503674982654
SKU	HAB.3042021.0020
Energy rating	-
Collection	HALO BRUSH
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	43 W
Lumen	3943 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	91.7 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	990 x 950 x 90 mm
Product dimensions	Ø900
Package weight	4710 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

