


HALO INWARD Ø520



DIMENSIONS




EAN	9506474865554
SKU	HA.302021.0001
Energy rating	-
Collection	HALO
Colour	Black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9501283353490
SKU	HA.3012021.0002
Energy rating	-
Collection	HALO
Colour	Black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9501532188538
SKU	HA.3022021.0003
Energy rating	-
Collection	HALO
Colour	Black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9509867316282
SKU	HA.3052021.0106
Energy rating	-
Collection	HALO
Colour	Black
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9507591887313
SKU	HA.302021.0004
Energy rating	-
Collection	HALO
Colour	White
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9507443891529
SKU	HA.3012021.0005
Energy rating	-
Collection	HALO
Colour	White
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS




EAN	9501686436189
SKU	HA.3022021.0006
Energy rating	-
Collection	HALO
Colour	White
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO INWARD Ø520



DIMENSIONS



EAN	9508169645120
SKU	HA.3052021.0111
Energy rating	-
Collection	HALO
Colour	White
IP rating	IP20
Light source	LED
Power	24 W
Lumen	2221 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	92.5 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	560 x 580 x 90 mm
Product dimensions	560 x 580 x 90 mm
Package weight	1530 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

