


HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9503871631867
SKU	HAS.302021.0001
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9508854246793
SKU	HAS.3012021.0002
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9507849817857
SKU	HAS.3022021.0003
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9504365185514
SKU	HAS.3052021.0013
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9502538582597
SKU	HAS.302021.0007
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9507494594639
SKU	HAS.3012021.0008
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS




EAN	9507612861520
SKU	HAS.3022021.0009
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 610MM



DIMENSIONS



EAN	9502119868966
SKU	HAS.3052021.0014
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	30 W
Lumen	3000 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	-
Product dimensions	Ø610
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

