


HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9506291355870
SKU	HAS.302021.0004
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9502813433972
SKU	HAS.3012021.0005
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9501551239679
SKU	HAS.3022021.0006
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9506432273476
SKU	HAS.3052021.0015
Energy rating	-
Collection	HALO SQUARE
Colour	Black
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9508554956619
SKU	HAS.302021.0010
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9508244596477
SKU	HAS.3012021.0011
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS




EAN	9501229411123
SKU	HAS.3022021.0012
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO SQUARE SQUARE 900MM



DIMENSIONS



EAN	9504141296618
SKU	HAS.3052021.0016
Energy rating	-
Collection	HALO SQUARE
Colour	Bronze
IP rating	IP20
Light source	LED
Power	42 W
Lumen	4200 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	100 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	-
Product dimensions	Ø900
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

