


HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9509392871553
SKU	HAU.302021.0019
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9507581131471
SKU	HAU.3012021.0020
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9508545182287
SKU	HAU.3022021.0021
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9505557567712
SKU	HAU.3052021.0078
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9509557867391
SKU	HAU.302021.0022
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9505944959724
SKU	HAU.3012021.0023
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS




EAN	9506964365861
SKU	HAU.3022021.0024
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	Ø1200
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø1200



DIMENSIONS



EAN	9501699635944
SKU	HAU.3052021.0061
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	90.5 W
Lumen	12760 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1255 x 1255 x 90 mm
Product dimensions	1255 x 1255 x 90 mm
Package weight	7600 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

