


HALO UP-DOWN Ø600



DIMENSIONS




EAN	9502259522476
SKU	HAU.302021.0001
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9505697731172
SKU	HAU.3012021.0002
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9505631417827
SKU	HAU.3022021.0003
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9501963867279
SKU	HAU.3052021.0072
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9507488919943
SKU	HAU.3052021.0075
Energy rating	-
Collection	HALO UP-DOWN
Colour	Black
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9508837648415
SKU	HAU.302021.0004
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9504365176482
SKU	HAU.3012021.0005
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9509453425152
SKU	HAU.3022021.0006
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600



DIMENSIONS




EAN	9503324859282
SKU	HAU.3052021.0073
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN Ø600

DIMENSIONS



EAN	9505493474815
SKU	HAU.3052021.0076
Energy rating	-
Collection	HALO UP-DOWN
Colour	White
IP rating	IP20
Light source	LED
Power	45 W
Lumen	6345 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	141 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

