


HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016997912
SKU	HAUS.2712021.0129
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017028042
SKU	HAUS.2712021.0130
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017011044
SKU	HAUS.2712021.0131
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017043076
SKU	HAUS.2712021.0132
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017084062
SKU	HAUS.2712021.0133
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017035095
SKU	HAUS.2712021.0134
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017082020
SKU	HAUS.2712021.0135
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017092067
SKU	HAUS.2712021.0136
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017113120
SKU	HAUS.2712021.0121
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017136143
SKU	HAUS.2712021.0122
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017124195
SKU	HAUS.2712021.0123
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017129145
SKU	HAUS.2712021.0124
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017111188
SKU	HAUS.2712021.0125
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017168151
SKU	HAUS.2712021.0126
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017169172
SKU	HAUS.2712021.0127
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152017099080
SKU	HAUS.2712021.0128
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016888876
SKU	HAUS.2712021.0137
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016897885
SKU	HAUS.2712021.0138
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016912984
SKU	HAUS.2712021.0139
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016951990
SKU	HAUS.2712021.0140
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016916920
SKU	HAUS.2712021.0141
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016965980
SKU	HAUS.2712021.0142
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016991910
SKU	HAUS.2712021.0143
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016928954
SKU	HAUS.2712021.0144
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016757752
SKU	HAUS.2712021.0145
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016758759
SKU	HAUS.2712021.0146
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016795754
SKU	HAUS.2712021.0147
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016796768
SKU	HAUS.2712021.0148
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016861824
SKU	HAUS.2712021.0149
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016842823
SKU	HAUS.2712021.0150
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS




EAN	6152016883826
SKU	HAUS.2712021.0151
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø1200



DIMENSIONS



EAN	6152016883871
SKU	HAUS.2712021.0152
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	90W
Lumen	7886LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	1250 x 1250 x 85 mm
Product dimensions	Ø1200
Package weight	7780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

