


HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9507336481189
SKU	HAUS.2712021.0029
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9502624488482
SKU	HAUS.2722021.0030
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9504178172664
SKU	HAUS.2752021.0031
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9501278514349
SKU	HAUS.2742021.0032
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503237163759
SKU	HAUS.3012021.0025
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9505381386565
SKU	HAUS.3022021.0026
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9504579988383
SKU	HAUS.3052021.0027
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9509946272966
SKU	HAUS.3042021.0028
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503241277220
SKU	HAUS.2712021.0005
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9504449828917
SKU	HAUS.2722021.0006
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503743362585
SKU	HAUS.2752021.0007
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9504225422988
SKU	HAUS.2742021.0008
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503244247985
SKU	HAUS.3012021.0001
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9507275345245
SKU	HAUS.3022021.0002
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9507675215155
SKU	HAUS.3052021.0003
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9508753368589
SKU	HAUS.3042021.0004
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9506214346190
SKU	HAUS.2712021.0053
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9506517895753
SKU	HAUS.2722021.0054
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9504185325213
SKU	HAUS.2752021.0055
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503243391351
SKU	HAUS.2742021.0056
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9501492754866
SKU	HAUS.3012021.0049
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	∅400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9507945169348
SKU	HAUS.3022021.0050
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503766328247
SKU	HAUS.3052021.0051
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9506471466761
SKU	HAUS.3042021.0052
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9505685681427
SKU	HAUS.2712021.0077
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9509147891836
SKU	HAUS.2722021.0078
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9507998338722
SKU	HAUS.2752021.0079
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9508279158589
SKU	HAUS.2742021.0080
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9503582497110
SKU	HAUS.3012021.0073
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9501138482269
SKU	HAUS.3022021.0074
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS




EAN	9508286178228
SKU	HAUS.3052021.0075
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø400



DIMENSIONS



EAN	9503574257616
SKU	HAUS.3042021.0076
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	38 W
Lumen	2010 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	52.9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	460 x 460 x 90 mm
Product dimensions	Ø400
Package weight	2180 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

