


HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9508948231896
SKU	HAUS.3012021.0033
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507689395652
SKU	HAUS.3022021.0034
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9501168181163
SKU	HAUS.3052021.0035
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9501924243579
SKU	HAUS.3042021.0036
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9504425619683
SKU	HAUS.2712021.0037
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502223348941
SKU	HAUS.2722021.0038
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9503441613538
SKU	HAUS.2752021.0039
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9504168278932
SKU	HAUS.2742021.0040
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9503366363617
SKU	HAUS.3012021.0009
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9501621921466
SKU	HAUS.3022021.0010
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507195251626
SKU	HAUS.3052021.0011
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9509226524372
SKU	HAUS.3042021.0012
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9505152656620
SKU	HAUS.2712021.0013
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507656913759
SKU	HAUS.2722021.0014
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502164521496
SKU	HAUS.2752021.0015
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9503966618353
SKU	HAUS.2742021.0016
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502941845166
SKU	HAUS.3012021.0057
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502678198474
SKU	HAUS.3022021.0058
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502671499783
SKU	HAUS.3052021.0059
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9506614188550
SKU	HAUS.3042021.0060
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507173792189
SKU	HAUS.2712021.0061
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9505985719837
SKU	HAUS.2722021.0062
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502116226141
SKU	HAUS.2752021.0063
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502181266677
SKU	HAUS.2742021.0064
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9508255244589
SKU	HAUS.3012021.0081
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507922313153
SKU	HAUS.3022021.0082
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9505872823869
SKU	HAUS.3052021.0083
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9502329459725
SKU	HAUS.3042021.0084
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9507798431999
SKU	HAUS.2712021.0085
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9503416137977
SKU	HAUS.2722021.0086
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS




EAN	9501821247250
SKU	HAUS.2752021.0087
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø600



DIMENSIONS



EAN	9502683319284
SKU	HAUS.2742021.0088
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	45W
Lumen	3943LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	52,9 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	660 x 660 x 85 mm
Product dimensions	Ø600
Package weight	3540 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

