


HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9502926564129
SKU	HAUS.3012021.0041
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9505329538261
SKU	HAUS.3022021.0042
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508761467885
SKU	HAUS.3052021.0043
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508794453657
SKU	HAUS.3042021.0044
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9507169573761
SKU	HAUS.2712021.0045
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9509475637823
SKU	HAUS.2722021.0046
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508779452866
SKU	HAUS.2752021.0047
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9505833672710
SKU	HAUS.2742021.0048
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9506198917621
SKU	HAUS.3012021.0017
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9509979296168
SKU	HAUS.3022021.0018
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9509537789767
SKU	HAUS.3052021.0019
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9502226571919
SKU	HAUS.3042021.0020
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508551946668
SKU	HAUS.2712021.0021
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9501261146939
SKU	HAUS.2722021.0022
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9502131927436
SKU	HAUS.2752021.0023
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9507349962545
SKU	HAUS.2742021.0024
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9504746577488
SKU	HAUS.3012021.0065
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9504322344886
SKU	HAUS.3022021.0066
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9501311554820
SKU	HAUS.3052021.0067
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9504165513197
SKU	HAUS.3042021.0068
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9507379837912
SKU	HAUS.2712021.0069
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9502352175548
SKU	HAUS.2722021.0070
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9505729295450
SKU	HAUS.2752021.0071
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9502929179627
SKU	HAUS.2742021.0072
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9506965955252
SKU	HAUS.3012021.0089
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9506259495785
SKU	HAUS.3022021.0090
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9507759126940
SKU	HAUS.3052021.0091
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9505167639496
SKU	HAUS.3042021.0092
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9507396249422
SKU	HAUS.2712021.0093
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508613542364
SKU	HAUS.2722021.0094
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS




EAN	9508453996785
SKU	HAUS.2752021.0095
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Zigbee
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



HALO UP-DOWN SLIM Ø800



DIMENSIONS



EAN	9506352627847
SKU	HAUS.2742021.0096
Energy rating	-
Collection	HALO UP-DOWN SLIM
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	60W
Lumen	5257LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	53,6 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Casambi
Package dimensions	850 x 850 x 85 mm
Product dimensions	Ø800
Package weight	4780 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

