


SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova
SPOT40 LED pendant lamp 2700K

A

B

C

D

E

F

G

E

5

kWh/1000h



2019/2015


EAN	9508827624481
SKU	S40.27120361.0035
Energy rating	E
Collection	SPOT40
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova
SPOT40 LED pendant lamp 2700K

A

B

C

D

E

F

G

E

5

kWh/1000h



2019/2015


EAN	9507666745395
SKU	S40.27220361.0036
Energy rating	E
Collection	SPOT40
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



Lightinova

SPOT40 LED pendant lamp 3000K

A

B

C

D

E

F

G

E

5

kWh/1000h

2019/2015


EAN	9509395847227
SKU	S40.30120361.0033
Energy rating	E
Collection	SPOT40
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova

SPOT40 LED pendant lamp 3000K

A

B

C

D

E

F

G

E

5

kWh/1000h



2019/2015


EAN	9501327144886
SKU	S40.30220361.0034
Energy rating	E
Collection	SPOT40
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS




EAN	9501738577679
SKU	S40.27120361.0039
Energy rating	E
Collection	SPOT40
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova
SPOT40 LED pendant lamp 2700K

A

B

C

D

E

F

G

E

5
kWh/1000h



2019/2015



EAN	9506851871468
SKU	S40.27220361.0040
Energy rating	E
Collection	SPOT40
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS




EAN	9509736874592
SKU	S40.30120361.0037
Energy rating	E
Collection	SPOT40
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



Lightinova
SPOT40 LED pendant lamp 3000K

A	
B	
C	
D	
E	E
F	
G	

5
kWh/1000h

2019/2015



EAN	9506463698491
SKU	S40.30220361.0038
Energy rating	E
Collection	SPOT40
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS




EAN	9502332192572
SKU	S40.27120361.0047
Energy rating	E
Collection	SPOT40
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS





EAN	9509891211973
SKU	S40.27220361.0048
Energy rating	E
Collection	SPOT40
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS




EAN	9507699473791
SKU	S40.30120361.0045
Energy rating	E
Collection	SPOT40
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

CE

SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova

SPOT40 LED pendant lamp 3000K

A

B

C

D

E

F

G

E

5

kWh/1000h



2019/2015


EAN	9507725663592
SKU	S40.30220361.0046
Energy rating	E
Collection	SPOT40
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova
SPOT40 LED pendant lamp 2700K

A

B

C

D

E

F

G

E

5
kWh/1000h



2019/2015



EAN	9509882398614
SKU	S40.27120361.0043
Energy rating	E
Collection	SPOT40
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS





EAN	9503249616540
SKU	S40.27220361.0044
Energy rating	E
Collection	SPOT40
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS




EAN	9504342448793
SKU	S40.30120361.0041
Energy rating	E
Collection	SPOT40
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT40 PENDANT LAMP



DIMENSIONS



**ENERGY**

Lightinova

SPOT40 LED pendant lamp 3000K

A

B

C

D

E

F

G

E

5 kWh/1000h



2019/2015

EAN	9504926754876
SKU	S40.30220361.0042
Energy rating	E
Collection	SPOT40
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4.5 W
Lumen	540 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	665 x 90 x 85 mm
Product dimensions	ø40 x 400 mm
Package weight	1110 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

