


SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9502789569712      |
| <b>SKU</b>                    | S40.27120361.0067  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed black      |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9503121151312      |
| <b>SKU</b>                    | S40.27220361.0068  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed black      |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS





Lightinova  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9  
kWh/1000h



2019/2015


|                        |                    |
|------------------------|--------------------|
| EAN                    | 9502447696835      |
| SKU                    | S40.30120361.0065  |
| Energy rating          | E                  |
| Collection             | SPOT40             |
| Colour                 | Brushed black      |
| IP rating              | IP20               |
| Light source           | LED                |
| Power                  | 9 W                |
| Lumen                  | 1080 Lm            |
| Colour temperature     | 3000K              |
| Colour Rendering Index | CRI>90             |
| Efficacy               | 120 Lm/W           |
| Lifetime               | >50.000h           |
| Beam angle             | 36 D               |
| Driver                 | Yes                |
| Voltage                | 24 V               |
| Input voltage          | 220-240 V          |
| Dim                    | Triac              |
| Package dimensions     | 220 x 207 x 103 mm |
| Product dimensions     | ø40 x 95 mm        |
| Package weight         | 1200 g             |
| HS code                | 94054990           |
| ETL code               | -                  |
| Material               | Aluminium          |
| Warranty               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9502114176790      |
| <b>SKU</b>                    | S40.30220361.0066  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed black      |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9501521826953      |
| <b>SKU</b>                    | S40.27120361.0071  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed bronze     |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9505343158612      |
| <b>SKU</b>                    | S40.27220361.0072  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed bronze     |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9506658316384      |
| <b>SKU</b>                    | S40.30120361.0069  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed bronze     |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9501973987530      |
| <b>SKU</b>                    | S40.30220361.0070  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed bronze     |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9509466212640      |
| <b>SKU</b>                    | S40.27120361.0075  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed champagne  |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9506343592642      |
| <b>SKU</b>                    | S40.27220361.0076  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed champagne  |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9501622227543      |
| <b>SKU</b>                    | S40.30120361.0073  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed champagne  |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9506626445146      |
| <b>SKU</b>                    | S40.30220361.0074  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed champagne  |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9507643287894      |
| <b>SKU</b>                    | S40.27120361.0079  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed gold       |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

**Lightinova**  
SPOT40 surface double LED 2700K

A

B

C

D

E

F

G

E

9

kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9501795378158      |
| <b>SKU</b>                    | S40.27220361.0080  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed gold       |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 2700K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

Lightinova

SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9  
kWh/1000h



2019/2015


|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9506927837732      |
| <b>SKU</b>                    | S40.30120361.0077  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed gold       |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Triac              |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |



SPOT40 SURFACE DOUBLE



DIMENSIONS



**ENERGY**

Lightinova

SPOT40 surface double LED 3000K

A

B

C

D

E

F

G

E

9  
kWh/1000h



2019/2015

|                               |                    |
|-------------------------------|--------------------|
| <b>EAN</b>                    | 9505392837322      |
| <b>SKU</b>                    | S40.30220361.0078  |
| <b>Energy rating</b>          | E                  |
| <b>Collection</b>             | SPOT40             |
| <b>Colour</b>                 | Brushed gold       |
| <b>IP rating</b>              | IP20               |
| <b>Light source</b>           | LED                |
| <b>Power</b>                  | 9 W                |
| <b>Lumen</b>                  | 1080 Lm            |
| <b>Colour temperature</b>     | 3000K              |
| <b>Colour Rendering Index</b> | CRI>90             |
| <b>Efficacy</b>               | 120 Lm/W           |
| <b>Lifetime</b>               | >50.000h           |
| <b>Beam angle</b>             | 36 D               |
| <b>Driver</b>                 | Yes                |
| <b>Voltage</b>                | 24 V               |
| <b>Input voltage</b>          | 220-240 V          |
| <b>Dim</b>                    | Dali               |
| <b>Package dimensions</b>     | 220 x 207 x 103 mm |
| <b>Product dimensions</b>     | ø40 x 95 mm        |
| <b>Package weight</b>         | 1200 g             |
| <b>HS code</b>                | 94054990           |
| <b>ETL code</b>               | -                  |
| <b>Material</b>               | Aluminium          |
| <b>Warranty</b>               | 2 years            |

