


SPOT CORA WALL LAMP WITH USB CONNECTION



DIMENSIONS




EAN	9508496459667
SKU	SP.302021.0009
Energy rating	-
Collection	SPOT
Colour	Black
IP rating	IP20
Light source	LED
Power	7 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	74.3 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	380 x 200 x 160 mm
Product dimensions	440 x 140 x 40/90 mm
Package weight	2080 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT CORA WALL LAMP WITH USB CONNECTION



DIMENSIONS




EAN	9505286483567
SKU	SP.302021.0010
Energy rating	-
Collection	SPOT
Colour	Black
IP rating	IP20
Light source	LED
Power	7 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	74.3 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	380 x 200 x 160 mm
Product dimensions	440 x 140 x 40/90 mm
Package weight	2080 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT CORA WALL LAMP WITH USB CONNECTION



DIMENSIONS




EAN	9508718881931
SKU	SP.302021.0013
Energy rating	-
Collection	SPOT
Colour	White
IP rating	IP20
Light source	LED
Power	7 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	74.3 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	380 x 200 x 160 mm
Product dimensions	440 x 140 x 40/90 mm
Package weight	2080 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



SPOT CORA WALL LAMP WITH USB CONNECTION



DIMENSIONS



EAN	9505116715943
SKU	SP.302021.0014
Energy rating	-
Collection	SPOT
Colour	White
IP rating	IP20
Light source	LED
Power	7 W
Lumen	520 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	74.3 Lm/W
Lifetime	>50.000h
Beam angle	Diffuse
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	-
Package dimensions	380 x 200 x 160 mm
Product dimensions	440 x 140 x 40/90 mm
Package weight	2080 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

