

TUUB LED DOWNLIGHT 100



EAN	6150713597558
SKU	TBL.30120361.0009
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713611629
SKU	TBL.30220361.0010
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713616686
SKU	TBL.27120361.0011
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713624629
SKU	TBL.27220361.0012
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713564505
SKU	TBL.30120361.0013
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713578571
SKU	TBL.30220361.0014
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713584589
SKU	TBL.27120361.0015
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713586514
SKU	TBL.27220361.0016
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713546563
SKU	TBL.30120361.0017
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713554582
SKU	TBL.30220361.0018
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713559556
SKU	TBL.27120361.0019
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713561511
SKU	TBL.27220361.0020
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713529573
SKU	TBL.30120361.0021
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713531545
SKU	TBL.30220361.0022
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713532511
SKU	TBL.27120361.0023
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 100



EAN	6150713536595
SKU	TBL.27220361.0024
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	170 x 100 x 105 mm
Product dimensions	-
Package weight	440 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

