

TUUB LED DOWNLIGHT 150



EAN	6150713494499
SKU	TBL.30120361.0025
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713514531
SKU	TBL.30220361.0026
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713515590
SKU	TBL.27120361.0027
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713525513
SKU	TBL.27220361.0028
Energy rating	-
Collection	TUUB LED
Colour	Brushed black
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713485459
SKU	TBL.30120361.0029
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713488474
SKU	TBL.30220361.0030
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713488481
SKU	TBL.27120361.0031
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713491481
SKU	TBL.27220361.0032
Energy rating	-
Collection	TUUB LED
Colour	Brushed bronze
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713468469
SKU	TBL.30120361.0033
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713471421
SKU	TBL.30220361.0034
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713479434
SKU	TBL.27120361.0035
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713482403
SKU	TBL.27220361.0036
Energy rating	-
Collection	TUUB LED
Colour	Brushed champagne
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713457487
SKU	TBL.30120361.0037
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713458415
SKU	TBL.30220361.0038
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	3000K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713460470
SKU	TBL.27120361.0039
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED DOWNLIGHT 150



EAN	6150713462450
SKU	TBL.27220361.0040
Energy rating	-
Collection	TUUB LED
Colour	Brushed gold
IP rating	IP20
Light source	LED
Power	4,5W
Lumen	540LM
Colour temperature	2700K
Colour Rendering Index	CRI>CRI>90
Efficacy	120 Lm/W
Lifetime	>50.000h
Beam angle	36D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Dali
Package dimensions	220 x 105 x 105 mm
Product dimensions	-
Package weight	560 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

