



TUUB LED PENDANT LAMP 400



DIMENSIONS





EAN	6150713733789
SKU	TBL.27120361.0052
Energy rating	G
Collection	TUUB LED
Colour	Black
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS





EAN	9506949482460
SKU	TBL.30120361.0051
Energy rating	G
Collection	TUUB LED
Colour	Black
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS





EAN	6150713718762
SKU	TBL.27120361.0048
Energy rating	G
Collection	TUUB LED
Colour	Bronze
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

CE

TUUB LED PENDANT LAMP 400



DIMENSIONS





EAN	9504895663667
SKU	TBL.30120361.0047
Energy rating	G
Collection	TUUB LED
Colour	Bronze
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS




EAN	6150713697623
SKU	TBL.27120361.0046
Energy rating	G
Collection	TUUB LED
Colour	Champagne
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS



**ENERGY**

Lightinova
TUUB 400 3000K

A

B

C

D

E

F

G

G

10
kWh/1000h


2019/2015



EAN	9505382188380
SKU	TBL.30120361.0045
Energy rating	G
Collection	TUUB LED
Colour	Champagne
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS





EAN	6150713729720
SKU	TBL.27120361.0050
Energy rating	G
Collection	TUUB LED
Colour	White
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED PENDANT LAMP 400



DIMENSIONS



EAN	9505386568775
SKU	TBL.30120361.0049
Energy rating	G
Collection	TUUB LED
Colour	White
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	500 x 70 x 70 mm
Product dimensions	ø55 x 400 mm
Package weight	950 g
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

