


TUUB LED SURFACE 95



DIMENSIONS



 **ENERG**

Lightinova
TUUB 95 2700K

A
B
C
D
E
F
G

10
kWh/1000h

 2019/2015



EAN	6150713696640
SKU	TBL.27120361.0044
Energy rating	G
Collection	TUUB LED
Colour	Black
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	ø55 x 120 mm
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

CE

TUUB LED SURFACE 95



DIMENSIONS




EAN	9503691941115
SKU	TBL.30120361.0043
Energy rating	G
Collection	TUUB LED
Colour	Black
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	ø55 x 120 mm
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED SURFACE 95



DIMENSIONS



ENERGY

Lightinova
TUUB 95 2700K

A
B
C
D
E
F
G

10
kWh/1000h

G

2019/2015



EAN	6150713692673
SKU	TBL.27120361.0042
Energy rating	G
Collection	TUUB LED
Colour	White
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	2700K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	ø55 x 120 mm
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years



TUUB LED SURFACE 95



DIMENSIONS



EAN	9505696489425
SKU	TBL.30120361.0041
Energy rating	G
Collection	TUUB LED
Colour	White
IP rating	IP20
Light source	LED
Power	10 W
Lumen	768 Lm
Colour temperature	3000K
Colour Rendering Index	CRI>90
Efficacy	76.8 Lm/W
Lifetime	>50.000h
Beam angle	36 D
Driver	Yes
Voltage	24 V
Input voltage	220-240 V
Dim	Triac
Package dimensions	-
Product dimensions	ø55 x 120 mm
Package weight	-
HS code	94054990
ETL code	-
Material	Aluminium
Warranty	2 years

CE